

OVERVIEW

MIXPAC™ B-SYSTEM

25/50/75 ML INDUSTRIAL SET

ACCESSORIES

ACCESSORIES

	ID	Article
	101651	BRT 205-10
	102274	IOT 406-15
	102277	IOT 506-15
	102356 102357	LA 05-00 LA 06-08

OUTLET TIP

 Tapered Tip (S)

 Straight Tip (D)

 Luer Slip Tip (L)

 Stepped Tip (T)


MIXER



25 mL

50 mL

CARTRIDGE



DISPENSER



INTERFACE CONVERTER

B-System => K-System



Ratio	ID	Article
1:1/2:1	128201	IBK 001-10
4:1/10:1	128202	IBKX 001-10

INTERFACE MIXER

K-System

Ratio	Article
1:1/2:1	MKH
4:1/10:1	MKHX

=> for further information see K-System

PISTON RETENTION PLATE

Ratio	ID	Article
1:1/2:1	113719	PRS 050-01-02
4:1/10:1	116564	PRS 050-04-10A



● MBHX (Helix)

● MBQX (QUADRO™)

50 mL

75 mL



10:1



1:1



10:1



1:1



10:1

BS flange



● TS408



● DMB



● TS408



● DS

MIXPAC™ B-SYSTEM


CARTRIDGE SET

25 INDUSTRIAL SET



CARTRIDGE ASSEMBLY 25 ML

Cap preassembled
Colors: ●



Ratio Set/ Volume	ID	Article	Cartridges Material/Color	Plunger	Units/ Box	Mixer Technology	
1:1 25 mL	116647	AB 025-01-10-01	PP/Ⓝ	Ⓝ	1000	MBH ○ MBQ ●	
	116924	AB 025-01-10-02	PP/Ⓝ	●	1000	MBH ○ MBQ ●	
	116926	AB 025-01-10-05	PP/Ⓝ	●	1000	MBH ○ MBQ ●	
	116927	AB 025-01-10-07	PP/●	●	1000	MBH ○ MBQ ●	
	116649	AB 025-01-30-01	PA/Ⓝ	Ⓝ	1000	MBH ○ MBQ ●	
	116923	AB 025-01-30-07	PA/●	●	1000	MBH ○ MBQ ●	
	129377	AB 025-01-30-09	PA/●	●	1000	MBH ○ MBQ ●	

MATCHING MIXERS


	ID	Article	Number of Elements	Inner Diameter Ø mm/inch	Waste Volume (mL)	Units/ Box	Outlet Tip				Accessories					
							Stepped Tip (T)	Straight Tip (D)	Luer Slip Tip (L)	Tapered Tip (S)	LA 05-00	LA 06-08	BRT 205-10	IOT 406-15	IOT 506-15	IOT 715-50
1:1 MBH 	116457	MBH 03-12D	12	3.2/0.126	0.49	8000	✓							✓		
	116458	MBH 03-12S	12	3.2/0.126	0.49	8000			✓							
	116459	MBH 03-16D	16	3.2/0.126	0.63	4000	✓							✓		
	116460	MBH 03-16L	16	3.2/0.126	0.63	7000		✓								
	116461	MBH 03-16S	16	3.2/0.126	0.59	7000			✓							
	116462	MBH 04-12D	12	4.2/0.165	0.84	7000	✓							✓		
	116463	MBH 04-16D	16	4.2/0.165	1.04	5000	✓							✓		
	116464	MBH 04-16S	16	4.2/0.165	1.04	5000			✓							
	116575	MBH 05-06T	6	5.4/0.213	0.94	8000	✓				✓					
	116465	MBH 05-12D	12	5.4/0.213	1.52	5000	✓						✓		✓	
	116466	MBH 05-14D	14	5.4/0.213	1.91	4000	✓						✓		✓	
	116467	MBH 05-16T	16	5.4/0.213	1.91	4000	✓				✓					
	116468	MBH 05-20T	20	5.4/0.213	2.92	3000	✓				✓					
	116469	MBH 06-11D	11	6.5/0.256	2.28	4000		✓					✓		✓	
	116470	MBH 06-16T	16	6.5/0.256	3.14	3000	✓				✓					
	116471	MBH 06-20T	20	6.5/0.256	3.76	2000	✓				✓					
	116472	MBH 07-11D	11	7.5/0.295	3.05	4000		✓								✓
1:1 MBQ 	114144	MBQ 05-16L	16	5.3/0.209	1.88	3000		✓								
	114145	MBQ 05-24L	24	5.3/0.209	2.60	3000		✓								

CARTRIDGE SET

50/75 INDUSTRIAL SET



CARTRIDGE ASSEMBLY 50/75 ML



Ratio Set/ Volume	ID	Article	Cartridges Material/Color	Piston Material/Type	O-ring	Units/ Box	Mixer Technology	Matching Dispenser
1:1 50 mL	154853	AB 050-01-10-33	PP/○	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	184125	AB 050-01-13-33	PCR PP/Azure	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	154825	AB 050-01-10-34	PP/○	HDPE, AirFT	EPDM	1250	MBH ○ MBQ ●	DM ● DP ●
	166960	AB 050-01-10-35	PP/○	HDPE, AirFT	Silicone	1250	MBH ○ MBQ ●	DM ● DP ●
	154854	AB 050-01-10-37	PP/●	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	167299	AB 050-01-20-33	PBT/Ⓝ	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	167298	AB 050-01-20-34	PBT/Ⓝ	HDPE, AirFT	EPDM	1250	MBH ○ MBQ ●	DM ● DP ●
	154857	AB 050-01-30-33	PA/○	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	154485	AB 050-01-30-34	PA/○	HDPE, AirFT	EDPM	1250	MBH ○ MBQ ●	DM ● DP ●
	154851	AB 050-01-30-37	PA/●	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
2:1 50 mL	154645	AB 050-02-10-33	PP/○	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	186380	AB 050-02-13-33	PCR PP/Azure	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	154646	AB 050-02-10-34	PP/○	HDPE, AirFT	EPDM	1250	MBH ○ MBQ ●	DM ● DP ●
	186381	AB 050-02-13-34	PCR PP/Azure	HDPE, AirFT	EPDM	1250	MBH ○ MBQ ●	DM ● DP ●
	154676	AB 050-02-30-33	PP/○	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
	154705	AB 050-02-30-34	PA/○	HDPE, AirFT	EPDM	1250	MBH ○ MBQ ●	DM ● DP ●
	154707	AB 050-02-30-35	PA/Ⓝ	HDPE, AirFT	–	1250	MBH ○ MBQ ●	DM ● DP ●
4:1 50 mL	116421	AB 050-04-10-01	PP/○	A-piston, PP, self-venting lip seal; B-piston, PP, solid lip seal	–	625	MBHX ● MBQX ●	DM ● DP ●
	128606	AB 050-04-10-02	PP/○	A-piston, PP, self-venting lip seal; B-piston, PP, solid lip seal with O-ring	EPDM	625	MBHX ● MBQX ●	DM ● DP ●
	167304	AB 050-04-20-01	PBT/Ⓝ	A-piston, PA, self-venting lip seal; B-piston, PA, solid lip seal	–	625	MBHX ● MBQX ●	DM ● DP ●

Each product marked with a leaf is part of the greenLine product family.

Continued from Table Cartridge Assembly 50/75 mL


Ratio Set/ Volume	ID	Article	Cartridges Material/Color	Piston Material/Type	O-ring	Units/ Box	Mixer Technology	Matching Dispenser
10:1 50 mL	116423	AB 050-10-10-01	PP/○	A-piston, PP, self-venting, lip seal; B-piston, PP, solid lip seal	–	625	MBHX ● MBQX ●	DM ● DP ●
	151982	AB 050-10-10-02	PP/○	A-piston, PA, self-venting lip seal; B-piston, HDPE, solid piston with O-ring	EDPM	625	MBHX ● MBQX ●	DM ● DP ●
	167300	AB 050-10-20-01	PBT/⊗	A-piston, PA, self-venting lip seal; B-piston, PA, solid lip seal	–	625	MBHX ● MBQX ●	DM ● DP ●

BS FLANGE

Ratio Set/ Volume	ID	Article	Cartridges Material/Color	Piston Material/ Type	O-ring	Units/ Box	Mixer Technology	Matching Dispenser
1:1 50 mL	154850	AB S50-01-10-33	PP/○	HDPE, AirFT	–	1250	MBH ● MBQ ○	DS ● DP ●
	154829	AB S50-01-10-37	PP/●	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DS ● DP ●
	154828	AB S50-01-30-33	PA/○	HDPE, AirFT	–	1250	MBH ● MBQ ○	DS ● DP ●
75 mL	158029	AB S75-01-10-33	PP/⊗	HDPE, AirFT	–	625	MBHX ● MBQX ●	DS ● DP ●
2:1 50 mL	154708	AB S50-02-10-33	PP/○	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DS ● DP ●
10:1 50 mL	152458	AB S50-10-10-01	PP/○	PP, self venting lip seal	–	625	MBHX ● MBQX ●	DS ● DP ●
	167251	AB S50-10-20-01	PBT/⊗	PP, self venting lip seal	–	1250	MBHX ● MBQX ●	DS ● DP ●
	165544	AB S50-10-20-33	PBT	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DS ● DP ●
	187624	AB S50-10-25-33	PBT/azure	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DM ● DP ●
	116447	AB S50-10-20-65	PBT	HDPE, AirFT	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	187626	AB S50-10-25-65	PBT/azure	HDPE, AirFT	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	185677	AB S50-10-20-37	PBT	HDPE, AirFT	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	187627	AB S50-10-25-37	PBT/azure	HDPE, AirFT	A: Silicone B: –	1250	MBHX ● MBQX ●	DM ● DP ●
	153795	AB S50-10-20-45	PBT	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DM ● DP ●
	187628	AB S50-10-25-45	PBT/azure	HDPE, AirFT	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	167288	AB S50-10-20-08	PBT	A-piston, PP, self-venting A-piston, HDPE, solid	– –	1250	MBHX ● MBQX ●	DM ● DP ●
	187629	AB S50-10-25-38	PBT/azure	A-piston, HDPE, AirFT B-piston, PA, Solid	Silicone Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	167253	AB S50-10-20-06	PBT	HDPE, solid	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	187638	AB S50-10-25-36	PBT/azure	Solid	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	165492	KB S50-10-20-33	PBT	HDPE, AirFT	A: –	1250	MBHX ● MBQX ●	DM ● DP ●
	187625	KB S50-10-25-33	PBT/azure	HDPE, AirFT	–	1250	MBHX ● MBQX ●	DM ● DP ●
	167286	KB S50-10-20-03	PBT	A-piston, PP, self-venting B-piston, HDPE, solid	– –	1250	MBHX ● MBQX ●	DM ● DP ●
	187631	KB S50-10-25-38	PBT/azure	A-piston, HDPE, AirFT B-piston, PA, Solid	A: – B: EPDM	1250	MBHX ● MBQX ●	DM ● DP ●
	167254	KB S50-10-20-06	PBT	HDPE, solid	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
	187639	KB S50-10-25-36	PBT/azure	Solid	Silicone	1250	MBHX ● MBQX ●	DM ● DP ●
10:1 75 mL	167271	AB S75-10-20-02	PBT/⊗	PA, solid lip seal with O-ring	Silicone	900	MBHX ● MBQX ●	DS ● DP ●
	166988	AB S75-10-20-33	PBT	HDPE, AirFT	–	900	MBHX ● MBQX ●	DM ● DP ●
	187650	AB S75-10-25-33	PBT/azure	HDPE, AirFT	–	900	MBHX ● MBQX ●	DM ● DP ●
	167280	AB S75-10-20-34	PBT	HDPE, AirFT	Silicone	900	MBHX ● MBQX ●	DM ● DP ●
	187652	AB S75-10-25-34	PBT/azure	HDPE, AirFT	Silicone	900	MBHX ● MBQX ●	DM ● DP ●
	165570	AB S75-10-20-35	PBT	HDPE, AirFT	–	900	MBHX ● MBQX ●	DM ● DP ●
	187653	AB S75-10-25-35	PBT/azure	HDPE, AirFT	A: – B: Silicone	900	MBHX ● MBQX ●	DM ● DP ●
	167273	AB S75-10-20-03	PBT	HDPE, solid	Silicone	350	MBHX ● MBQX ●	DM ● DP ●
	187654	AB S75-10-25-36	PBT/azure	Solid	Silicone	350	MBHX ● MBQX ●	DM ● DP ●
	165495	KB S75-10-20-33	PBT	HDPE, AirFT	–	900	MBHX ● MBQX ●	DM ● DP ●
	187651	KB S75-10-25-33	PBT/azure	HDPE, AirFT	–	900	MBHX ● MBQX ●	DM ● DP ●

 Each product marked with a leaf is part of the greenLine product family.

MATCHING MIXERS

	ID	Article	Number of Elements	Inner Diameter Ø mm/inch	Waste Volume (mL)	Units/ Box	Outlet Tip				Accessories						
							Stepped Tip (T)	Straight Tip (D)	Luer Slip Tip (L)	Tapered Tip (S)	LA 05-00	LA 06-08	BRT 205-10	IOT 406-15	IOT 506-15	IOT 212-20	IOR 209-20
1:1/2:1 MBH 	116457	MBH 03-12D	12	3.2/0.126	0.49	8000	✓							✓		✓	✓
	116458	MBH 03-12S	12	3.2/0.126	0.49	8000				✓							
	116459	MBH 03-16D	16	3.2/0.126	0.63	4000	✓							✓		✓	✓
	116460	MBH 03-16L	16	3.2/0.126	0.63	7000			✓								
	116461	MBH 03-16S	16	3.2/0.126	0.59	7000				✓							
	116462	MBH 04-12D	12	4.2/0.165	0.84	7000	✓							✓			
	116463	MBH 04-16D	16	4.2/0.165	1.04	5000	✓							✓			
	116464	MBH 04-16S	16	4.2/0.165	1.04	5000				✓							
	116575	MBH 05-06T	6	5.4/0.213	0.94	8000	✓				✓						
	116465	MBH 05-12D	12	5.4/0.213	1.52	5000	✓						✓		✓		
	116466	MBH 05-14D	14	5.4/0.213	1.91	4000	✓						✓		✓		
	116467	MBH 05-16T	16	5.4/0.213	1.91	4000	✓				✓						
	116468	MBH 05-20T	20	5.4/0.213	2.29	3000	✓				✓						
	116469	MBH 06-11D	11	6.5/0.256	2.28	4000	✓						✓		✓		
	116470	MBH 06-16T	16	6.5/0.256	3.14	3000	✓					✓					
	116471	MBH 06-20T	20	6.5/0.256	3.76	2000	✓					✓					✓
	116472	MBH 07-11D	11	7.5/0.295	3.05	4000	✓										
4:1/10:1 MBHX 	116473	MBHX 03-16S	16	3.2/0.126	0.60	7000				✓							
	116474	MBHX 04-16D	16	4.2/0.165	1.05	6000	✓							✓			
	116576	MBHX 04-16S	16	4.2/0.165	1.05	5000				✓							
	116475	MBHX 05-12D	12	5.4/0.213	1.52	5000	✓						✓	✓	✓		
	116476	MBHX 05-16T	16	5.4/0.213	1.91	4000	✓				✓						
	116477	MBHX 05-20T	20	5.4/0.213	2.07	3000	✓				✓						
	116478	MBHX 06-16D	16	6.5/0.256	3.14	3000	✓					✓					
	116480	MBHX 06-16T	16	6.5/0.256	3.04	3000	✓						✓		✓		
	116481	MBHX 06-20T	20	6.5/0.256	3.79	2000	✓					✓					
	114144	MBQ 05-16L	16	5.3/0.209	1.88	3000		✓									
1:1/2:1 MBQ 	114145	MBQ 05-24L	24	5.3/0.209	2.60	3000		✓									
4:1/10:1 MBQX 	116063	MBQX 05-16L	16	5.3/0.209	1.72	3000		✓									
	116062	MBQX 05-24L	24	5.3/0.209	2.37	3000		✓									

* different color

MATCHING DISPENSERS

	ID	Article	Flange			Ratio				Force (kN)
			B 50	B 550	B 75	1:1	2:1	4:1	10:1	
DM: DMA/DMB dispenser manual 	101875	DMA 51-00-10	✓			✓	✓			1.2
	116795	DMB 50-04-01	✓					✓		1.2
	116794	DMB 50-10-01	✓						✓	1.2
DS dispenser manual 	101934	DS 53-01-00	✓			✓	✓			1.2
	109146	DS 51-04-00	✓					✓		1.2
	101929	DS 51-10-00	✓						✓	1.2
	115676	DS 75-10-00	✓						✓	1.2
	110938	DS 77-01-00	✓			✓				1.2
DP: TS408 dispenser pneumatic 	151780	DP2K 050-MR-130	✓			✓	✓			1.3
	153094	DP2K 050-41-130	✓					✓	✓	1.3
	151886	DP2K S50-10-130	✓						✓	1.3
	153098	DP2K 075-MR-130		✓		✓	✓	✓	✓	1.3