

MIXPAC™

Systems for Adhesives



TWO-COMPONENT INDUSTRY
SOLUTIONS



INDUSTRY



OVERVIEW

MIXPAC™ C-SYSTEM

200/400 ML INDUSTRIAL SET

ACCESSORIES

ACCESSORIES

	ID	Article
	103663	TA 10-ET
	103664	TC 10-ET
	101656 101657	BSD 10-25 BSD 10-40
	300326	BSDQ 08-38
	102357 102358	LA 06-08 LA 10-00

OUTLET TIP


	Tapered Tip (S)
	Straight Tip (D)
	Luer Slip Tip (L)
	Stepped Tip (T)

MIXER

-  ○ MGH (Helix)
-  ○ MCH (Helix)
-  ● MCQ (QUADRO™)
-  ● MGQ (QUADRO™)

200 mL

CARTRIDGE



DISPENSER





400 mL



1:1



2:1



4:1



10:1




● DB2K

CARTRIDGE SET

200/400 INDUSTRIAL SET



CARTRIDGE ASSEMBLY 200/400 ML



Ratio Set/ Volume	ID	Article	Cartridges Material/Color	Piston Material/ Type	O-ring	Units/ Box	Mixer Technology	Matching Dispenser
1:1 200 mL	112158	AC 200-01-10-01	PP/(N)	PP, self-venting	–	300	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
	128249	AC 200-01-10-02	PP/(N)	PA, self-venting	EPDM	300	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
	116410	AC 200-01-10-04	PP/(N)	PP, self-venting	–	300	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
	116578	AC 200-01-10-05	PP/(N)	PP, self-venting	EPDM	300	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
1:1 400 mL	103721	AC 400-01-10-01	PP/(N)	PP, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	113209	AC 400-01-10-02	PP/(N)	PP, self-venting	EPDM	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	116317	AC 400-01-10-04	PP/(N)	PP, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	154402	AC 400-01-30-01	PA/(N)	PA, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	154750	AC 400-01-30-04	PA/(N)	PA, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	187833	AC 400-01-35-01	PA/azure	PA, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	187834	AC 400-01-35-04	PA/azure	PA, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	187835	AC 400-01-35-08	PA/azure	LDPE, self-venting	–	180	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
2:1 200 mL	112699	AC 200-02-10-01	PP/(N)	PP, self-venting	–	280	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
	129165	AC 200-02-10-05	PP/(N)	PP, self-venting	EPDM	280	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
2:1 400 mL	108663	AC 400-02-10-01	PP/(N)	PP, self-venting	–	175	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	116318	AC 400-02-10-04	PP/(N)	PP, self-venting	–	175	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
	129156	AC 400-02-10-05	PP/(N)	PP, self-venting	EPDM	175	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ● DB ●
4:1 200 mL	127894	AC 200-04-10-04	PP/(N)	PP, self-venting	–	265	MCH ○ MCQ ● MGH ○ MGQ ●	DM ● DP ●
4:1 400 mL	112530	AC 400-04-10-01	PP/(N)	PP, self-venting	–	170	MCHX ● MGH ○ MGQ ●	DM ● DP ● DB ●
	115454	AC 400-04-10-05	PP/(N)	PP, self-venting	–	170	MCHX ● MGH ○ MGQ ●	DM ● DP ● DB ●
	116413	AC 400-04-10-04	PP/(N)	PP, self-venting	–	170	MCHX ● MGH ○ MGQ ●	DM ● DP ● DB ●
	128441	AC 400-04-10-06	PP/(N)	PP, self-venting	EPDM	170	MCHX ● MGH ○ MGQ ●	DM ● DP ● DB ●
10:1 200 mL	108397	AC 200-10-10-02	PP/(N)	PP, self-venting	–	250	MCHX ● MGH ○ MGQ ●	DM ● DP ●
	116532	AC 200-10-10-03	PP/(N)	PP, self-venting	EPDM	250	MCHX ● MGH ○ MGQ ●	DM ● DP ●
	127919	AC 200-10-10-04	PP/(N)	A-piston PP, self-venting B-piston PP, self-venting	EPDM	250	MCHX ● MGH ○ MGQ ●	DM ● DP ●
10:1 400 mL	112622	AC 400-10-10-01	PP/(N)	PP, self-venting	–	165	MCHX ●	DM ● DP ● DB ●
	116580	AC 400-10-10-04	PP/(N)	PP, self-venting	–	165	MCHX ●	DM ● DP ● DB ●
	163091	AC 400-10-10-02	PP/(N)	PP, self-venting	–	165	MCHX ● MGH ○ MGQ ●	DM ● DP ● DB ●

Each product marked with a leaf is part of the greenLine product family.

MATCHING MIXERS

						Units/ Box	Outlet Tip				Accessories							
	ID	Article	Number of Elements	Inner Diameter Ø mm/inch	Waste Volume (mL)		Stepped Tip (T)	Straight Tip (D)	Luer Slip Tip (L)	Tapered Tip (S)	BSD 10-25	BSD 10-40	LA 05-00	LA 06-08	LA 10-00	BSDQ 08-38	TA 10-ET	TC10-ET
1:1/2:1 MCH 	102414	MCH 05-18T	18	5.0/0.197	2.10	3000	✓					✓						
	102415	MCH 05-24T	24	5.0/0.197	2.00	2000	✓					✓						
	102416	MCH 05-32T	32	5.0/0.197	2.60	2000	✓					✓						
	102417	MCH 06-18T	18	6.0/0.236	3.60	2000	✓						✓					
	102418	MCH 06-24T	24	6.0/0.236	4.20	2000	✓						✓					
	102419	MCH 06-32T	32	6.0/0.236	5.00	1700	✓						✓					
	102421	MCH 08-18T	18	8.0/0.315	6.70	2000	✓						✓					
	102424	MCH 08-24T	24	8.0/0.315	8.50	1500	✓						✓					
	102425	MCH 08-32T	32	8.0/0.315	10.90	1200	✓						✓					
	102427	MCH 1008-18S	18	8.0/0.315	10.20	1000				✓								
	102429	MCH 10-18T	18	10.0/0.394	12.30	1400	✓								✓			
	102430	MCH 10-20D	20	10.0/0.394	12.60	1200		✓			✓	✓					✓	✓
	102432	MCH 10-24D	24	10.0/0.394	15.30	1000		✓			✓	✓					✓	✓
	102431	MCH 10-24T	24	10.0/0.394	14.60	1000	✓								✓			
	102433	MCH 10-32T	32	10.0/0.394	17.70	900	✓								✓			
	102434	MCH 13-12T	13	10.0/0.394	14.70	1400	✓											
	102435	MCH 13-18T	18	13.0/0.512	21.00	1000	✓											
	102437	MCH 13-24T	24	13.0/0.512	27.30	800	✓											
	102438	MCH 13-32T	32	13.0/0.512	25.70	600	✓											
4:1/10:1 MCHX 	102440	MCHX 08-18T	18	8.0/0.315	6.40	1800	✓						✓					
	102443	MCHX 08-24T	24	8.0/0.315	9.30	1500	✓						✓					
	102444	MCHX 10-12T	12	10.0/0.394	9.60	2000	✓								✓			
	102445	MCHX 10-18T	18	10.0/0.394	11.90	1400	✓								✓			
	102446	MCHX 10-24T	24	10.0/0.394	16.20	1000	✓								✓			
	102447	MCHX 13-12T	12	13.0/0.512	11.60	1200	✓											
	112498	MCHX 15-12-30	12	15.0/591	27.00	1000	✓											
1:1/2:1 MCQ 	300002	MCQ 05-24L	24	5.3/207	3.46	1500			✓									
	300006	MCQ 07-24T	24	7.5/295	6.19	1000	✓											
	300455	MCQ 08-24T	24	8.7/0.343	8.44	1300	✓									✓		
	300375	MCQ 08-32T	32	8.7/0.343	10.37	900	✓									✓		
	300496	MCQ 10-24T-01	24	10.7/0.421	14.04	800	✓											
	300377	MCQ 10-32T	32	10.7/0.421	18.45	600	✓											
1:1/2:1/4:1/10:1 MGH 	102480	MGH 08-06S	6	8.0/0.315	3.67	1500				✓								
1:1/2:1/4:1/10:1 MGQ 	300469	MGQ 08-18T	18	8.7/0.343	6.70	1200	✓									✓		
	300454	MGQ 08-20D	20	8.7/0.343	7.57	1000		✓										
	300453	MGQ 08-20T	20	8.7/0.343	7.34	1000	✓									✓		
	300462	MGQ 08-24D	24	8.7/0.343	8.61	800		✓										
	300461	MGQ 08-24T	24	8.7/0.343	8.76	800	✓									✓		
	300493	MGQ 10-19D	19	10.7/0.421	12.15	800		✓										
	300497	MGQ 10-24D	24	10.7/0.421	14.49	650		✓										

MATCHING DISPENSERS

				Ratio				Force
		ID	Article	1:1	2:1	4:1	10:1	(kN)
DM2X dispenser manual		165807	DM2X 400-01-60	✓	✓			6.0
		165808	DM2X 400-04-60			✓		6.0
		165809	DM2X 400-10-60				✓	6.0
DP2X dispenser pneumatic		165864	DP2X 400-01-50	✓	✓			5.0
		165865	DP2X 400-04-50	✓	✓			5.0
		165866	DP2X 400-10-50			✓		5.0
DB2K dispenser battery		152603	DB2K 400-01-500	✓				5.0
		152605	DB2K 400-02-500		✓			5.0
		152607	DB2K 400-04-500			✓		5.0
		152609	DB2K 400-10-500				✓	5.0

MATCHING MIXERS

							Outlet Tip			Accessories								
	ID	Article	Number of Elements	Inner Diameter Ø mm/inch	Waste Volume (mL)	Units/ Box	Stepped Tip (T)	Straight Tip (D)	Luer Slip Tip (L)	TA 10-ET	TC 10-ET	LA 06-08	LA 10-00	BSD-08-50	BSD-10-25	BSD-10-40	BSD-13-50	BSDO-08-38
1:1/2:1 MFH 	102466	MFH 06-18T	18	6.0/0.236	4.36	1700	✓					✓						
	102467	MFH 06-24T	24	6.0/0.236	5.40	1400	✓					✓						
	116040	MFH 06-32T	32	6.0/0.236	6.65	1200	✓					✓						
	102468	MFH 08-18T	18	8.0/0.315	7.40	1400	✓					✓		✓				
	102469	MFH 08-24T	24	8.0/0.315	9.30	1200	✓					✓		✓				
	102470	MFH 08-32T	32	8.0/0.315	11.85	900	✓					✓		✓				
	102471	MFH 10-18T	18	10.0/0.394	13.09	1000	✓			✓	✓		✓		✓	✓		
	102472	MFH 10-24T	24	10.0/0.394	16.89	900	✓			✓	✓		✓		✓	✓		
	110583	MFH 10-32T	32	10.0/0.394	21.94	500	✓			✓	✓		✓		✓	✓		
	151603	MFH 13-18T	18	13.0/0.512	20.56	800	✓											✓
	151604	MFH 13-24T	24	13.0/0.512	26.31	600	✓											✓
4:1/10:1 MFHX 	102473	MFHX 06-18T	18	6.0/0.236	4.16	1700	✓					✓						
	102474	MFHX 06-24T	24	6.0/0.236	5.20	1400	✓					✓						
	113275	MFHX 06-32T	32	6.0/0.236	6.56	1200	✓					✓						
	102475	MFHX 08-18T	18	8.0/0.315	7.28	1400	✓					✓		✓				
	102476	MFHX 08-24T	24	8.0/0.315	9.14	1200	✓					✓		✓				
	112720	MFHX 08-32T	32	8.0/0.315	11.55	900	✓					✓		✓				
	102477	MFHX 10-18T	18	10.0/0.394	12.96	1000	✓			✓	✓		✓		✓	✓		
	102478	MFHX 10-24T	24	10.0/0.394	16.70	900	✓			✓	✓		✓		✓	✓		
	113250	MFHX 10-32T	32	10.0/0.394	21.22	500	✓			✓	✓		✓		✓	✓		
	151605	MFHX 13-18T	18	13.0/0.512	20.73	800	✓											✓
	151606	MFHX 13-24T	24	13.0/0.512	26.48	600	✓											✓
1:1/2:1 MFQ 	116032	MFQ 05-16L	16	5.3/0.209	2.90	2500		✓										
	187086	MFQ 08-24D-s13	24	8.7		750		✓										
	187087	MFQ 08-24T-s13	24	8.69		750	✓											
	152076	MFQ 08-24D	24	8.7		750			✓									
	116033	MFQ 05-24L	24	5.3/0.209	3.52	2000			✓									
	116034	MFQ 07-24T	24	7.5/0.295	6.11	1500	✓											
	115959	MFQ 08-24T	24	8.7/0.343	8.69	750	✓											✓
	116734	MFQ 08-32D	32	8.7/0.343	11.10	800		✓										
	116035	MFQ 10-24T	24	10.7/0.421	14.75	600	✓											
4:1/10:1 MFQX 	116036	MFQX 05-16L	16	5.3/0.209	3.07	2500			✓									
	116037	MFQX 05-24L	24	5.3/0.209	3.69	2000			✓									
	116038	MFQX 07-24T	24	7.5/0.295	6.28	1500	✓											
	116039	MFQX 08-24T	24	8.7/0.343	8.86	750	✓											✓
	116735	MFQX 08-32D	32	8.7/0.343	11.10	800		✓										
	116044	MFQX 10-24T	24	10.7/0.421	14.92	600	✓											

 Each product marked with a leaf is part of the greenLine product family.

DELIVERING INNOVATION. INSPIRING CONFIDENCE.

EUROPE

medmix Switzerland AG

Ruetistrasse 7
9469 Haag, Switzerland
Phone +41 81 414 70 00
sales.industry@medmix.com
www.medmix.swiss

USA, SOUTH AMERICA, CANADA AND MEXICO

medmix US Inc.

8 Willow St.
Salem, NH 03079, USA
Phone +1 603 893 2727
sales.industry@medmix.com
www.medmix.swiss

UK AND IRELAND

medmix UK Ltd.

1 Tealgate, Charnham Park, Hungerford
Berkshire, RG17 0YT, United Kingdom
Phone: +44 (0)1488 647 800
sales.industry@medmix.com
www.coxdispensers.com

SPAIN

medmix Spain S.A.

Calle No. Diez, 22
ES 46470 Albal (Valencia)
Phone +34 96 276 31 99
sales.spain@medmix.com
www.medmix.swiss

ASIA PACIFIC

medmix China Ltd.

68 Bei Dou Lu, Minhang Shanghai
200245, China
Phone: +86 21 6430 68 68
sales.industry@medmix.com
www.medmix.swiss



Legal Notice: This brochure is a general presentation. The information contained in this publication is believed to be accurate and reliable but is not to be construed as implying any warranty or guarantee of performance. We waive any liability and indemnity for effects resulting from its application. Please, contact us for a description of the warranties and guarantees offered with our products. Directions for use and safety will be given separately. All information herein is subject to change without notice.

© 2024 medmix Switzerland AG All rights reserved.

medmix is a trademark belonging to medmix AG, and MIXPAC is a trademark belonging to medmix Switzerland AG.